

For the Period August 11 to 17, 2015

Producers have nine per cent of the 2015 crop combined and 10 per cent swathed or ready to straight-cut, according to Saskatchewan Agriculture's weekly Crop Report. The five-year average at this time of the year is two per cent combined and five per cent swathed or ready to straight-cut.

Sixty-three per cent of the fall rye, 59 per cent of the winter wheat, 40 per cent of the field peas, 34 per cent of the lentils and 14 per cent of the chickpeas are now in the bin. Three per cent of the canola and four per cent of the mustard are now in the bin, with 14 per cent of the canola and 21 per cent of the mustard swathed or ready to straight-cut. Warm and relatively dry conditions have helped crops develop quickly in many areas.

Rainfall this past week ranged from trace amounts to nearly three inches in some areas. Provincially, topsoil moisture conditions on cropland are rated as seven per cent surplus, 75 per cent adequate, 16 per cent short and two per cent very short. Hay land and pasture topsoil moisture is rated as three per cent surplus, 64 per cent adequate, 28 per cent short and five per cent very short.

The Ministry of Agriculture has a Forage, Feed and Custom Service listing for producers to advertise and source feed products. It is available at: www.agriculture.gov.sk.ca/FeedForageListing

Some crop damage was caused by localized hail, wind and insects such as aphids, grasshoppers and diamondback moths.

Farmers are busy with harvest operations and hauling bales.

One year ago

Just over one per cent of the 2014 crop had been combined with an additional four per cent swathed or ready to straight cut. Average yields were being reported in most areas.

Follow the 2015 Crop Report on Twitter @SKAgriculture

Harvest Progress in SK Per cent Combined	
All Crops	
Aug 17/15	9
5 year avg. (2010-2014)	2
Aug 18/14	1
Aug 19/13	1
Aug 13/12	4
Aug 15/11	3
Aug 16/10	1
10 year avg. (2005-2014)	4

For further information, contact Shannon Friesen, PAg,
Cropping Management Specialist, Moose Jaw, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3592, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.



Southeastern Saskatchewan (Crop District 1 – Carnduff, Estevan, Redvers, Moosomin and Kipling areas; Crop District 2 – Weyburn, Milestone, Moose Jaw, Regina and Qu’Appelle areas; Crop District 3ASE – Radville and Lake Alma areas)

Fourteen per cent of the 2015 crop is now in the bin in the southeastern region, with an additional 21 per cent swathed or ready to straight-cut. Ninety per cent of the fall rye, 86 per cent of the winter wheat, 65 per cent of the field peas, 41 per cent of the lentils, 12 per cent of the barley and durum, 11 per cent of the canola and five per cent of the spring wheat have now been combined. Forty per cent of the canola has been swathed.

The region received rainfall ranging from small amounts to 18 mm in the Grenfell area. Since April 1, the Tantallon area has received 297 mm of rain, the greatest amount for the region.

Cropland topsoil moisture is currently rated as two per cent surplus, 56 per cent adequate, 41 per cent short and one per cent very short. Hay land and pasture topsoil moisture is rated as one per cent surplus, 43 per cent adequate, 48 per cent short and eight per cent very short.

Crops are advancing quickly in much of the region and general harvest is well underway. Some crop damage this past week was caused by insects and strong winds that lodged crops. Yields are reported to be lower than normal. Spotty showers delayed harvesting in some areas.

Farmers are busy with harvest operations and moving bales.

Southwestern Saskatchewan (Crop District 3ASW – Coronach, Assiniboia and Ogema areas; Crop District 3AN – Gravelbourg, Mossbank, Mortlach and Central Butte areas; Crop District 3B – Kyle, Swift Current, Shaunavon and Ponteix areas; Crop District 4 – Consul, Maple Creek and Leader areas)

Twenty-one per cent of the 2015 crop is now in the bin in the southwestern region, with an additional 12 per cent swathed or ready to straight-cut. Fifty-seven per cent of the fall rye, 64 per cent of the winter wheat and field peas, 49 per cent of the lentils, six per cent of the canola and two per cent of the spring wheat have now been combined. Thirty per cent of the canola has been swathed.

The region received rainfall ranging from small amounts to 12 mm in the Gull Lake area. Since April 1, the Mortlach area has received 297 mm of rain, the greatest amount for the region. Cropland topsoil moisture conditions are rated as three per cent surplus, 73 per cent adequate, 19 per cent short and five per cent very short, while hay land and pasture topsoil moisture conditions are rated as 46 per cent adequate, 45 per cent short and nine per cent very short.

Crops are advancing quickly and the region leads the province in the percentage of crops combined. Crop damage was mainly attributed to strong winds and insects. Cool and damp weather caused harvesting delays in some areas, while the recent rainfall has resulted in more weeds that have remained greener than usual; however, late crops such as flax have benefited from recent rains.

Farmers are busy with harvest operations.

East-Central Saskatchewan (Crop District 5 – Melville, Yorkton, Cupar, Kamsack, Foam Lake, Preeceville and Kelvington areas; Crop District 6A – Lumsden, Craik, Watrous and Clavet areas)

One per cent of the crop is now in the bin, with six per cent swathed or ready to straight-cut. Thirty-five per cent of the fall rye and 31 per cent of the winter wheat have been combined, with an additional 51 per cent and 47 per cent, respectively, swathed or ready to straight-cut. Eleven per cent of the peas have been combined, with an additional 30 per cent swathed or ready to straight-cut. Six per cent of the canola has been swathed.

Rainfall in the region ranged from small amounts to 38 mm in the Rose Valley area. The Craik area has received 346 mm of rainfall since April 1, the greatest amount for the region. Topsoil moisture conditions on cropland are rated as 13 per cent surplus, 82 per cent adequate, three per cent short and two per cent very short. Hay land and pasture topsoil moisture is rated as seven per cent surplus, 83 per cent adequate, eight per cent short and two per cent very short.

Despite the recent rain that has delayed harvest operations, pulse crops are being desiccated and combining is just beginning. However, there are concerns that recent rainfall may cause a decline in the quality of some cereals. As well, damp cool weather may delay swathing and desiccation of crops. Crop damage this past week was attributed to localized flooding, strong wind and insects such as aphids and diamondback moths.

Farmers are busy with harvest operations.

West-Central Saskatchewan (Crop Districts 6B – Hanley, Outlook, Loreburn, Saskatoon and Arelee areas; Crop District 7A – Rosetown, Kindersley, Eston, Major; CD 7B - Kerrobert, Macklin, Wilkie and Biggar areas)

Three per cent of the crop is in the bin, with 11 per cent swathed or ready to straight-cut. Fifty-two per cent of the fall rye and 42 per cent of the winter wheat have been combined, with an additional 39 per cent and 52 per cent, respectively, swathed or ready to straight-cut. Twenty-two per cent of the peas and eight per cent of lentils have been combined, with an additional 33 per cent of the peas and 28 of the lentils swathed or ready to straight-cut. Seven per cent of the mustard and five per cent of the canola are swathed or ready to straight-cut.

Rainfall this past week ranged from trace amounts to 52 mm in the Sonningdale area. The Outlook area has reported 288 mm of rainfall since April 1, the greatest amount for the region. Topsoil moisture conditions on cropland are rated as one per cent surplus, 90 per cent adequate and nine per cent short. Topsoil moisture conditions on hay land

and pasture are rated as one per cent surplus, 81 per cent adequate, 16 per cent short and two per cent very short.

Crops are ripening quickly in the region and general harvest has begun. Producers are concerned that the quality of crops such as peas and lentils has declined due to recent rainfall. Some causes of crop damage this week include localized flooding and insects such as aphids in pulses.

Farmers are busy with harvest operations.

Northeastern Saskatchewan (Crop District 8 – Hudson Bay, Tisdale, Melfort, Carrot River, Humboldt, Kinistino, Cudworth and Aberdeen areas; Crop District 9AE – Prince Albert, Choiceland and Paddockwood areas)

Two per cent of the crop is now in the bin, with one per cent swathed or ready to straight-cut. All of the fall rye has been combined, while 52 per cent of the winter wheat has been combined and 22 per cent is swathed or ready to straight-cut. Three per cent of the peas has been combined, with an additional 12 per cent swathed or ready to straight-cut.

Rainfall this past week ranged from 15 mm to 72 mm in the Kinistino area. The Humboldt area has reported 392 mm of rainfall since April 1, the greatest amount for the region as well as for the province. Cropland topsoil moisture conditions are rated as 30 per cent surplus and 70 per cent adequate. Hay land and pasture topsoil moisture is rated as 18 per cent surplus and 82 per cent adequate.

The recent rainfall across the region has delayed harvest as well as caused lodging of some canola crops. Crop damage this week is attributed to strong winds, localized flooding and insects such as aphids and diamondback moths.

Farmers are busy with harvest operations.

Northwestern Saskatchewan (Crop District 9AW – Shellbrook, North Battleford, Big River and Hafford areas; Crop District 9B – Meadow Lake, Turtleford, Pierceland, Maidstone and Lloydminster areas)

Less than one per cent of the 2015 crop is in the bin, with three per cent swathed or ready to straight-cut. Canola swathing and desiccation have started and general harvest is expected to begin soon.

Rainfall this past week ranged from 20 mm in the Pierceland area to 55 mm in the Hafford area. The Duck Lake area has reported 292 mm of rainfall since April 1, the greatest amount for the region. Cropland topsoil moisture is currently rated as one per cent surplus, 88 per cent adequate and 11 per cent short. Hay land and pasture topsoil moisture is rated 81 per cent adequate, 18 per cent short and one per cent very short.

Crops are advancing quickly in much of the area. The main causes of crop damage this week were strong winds and insects such as aphids.

Farmers are busy with harvest operations.


Provincial Estimated Crop Yields - August 17, 2015								
	Winter wheat	Fall rye	HRSW	Other wheat*	Durum	Oat	Barley	Canaryseed
Southeast	36	36	32	33	25	67	48	750
Southwest	20	16	25	N/A	25	53	41	1200
East Central	34	33	38	43	32	76	62	1500
West Central	30	25	26	N/A	24	41	42	417
Northeast	40	25	44	58	55	114	73	1004
Northwest	N/A	N/A	35	37	N/A	81	60	N/A
Provincial	32	19	34	42	25	84	57	768
	Flax	Canola	Mustard	Soybean	Pea	Lentil	Chickpea	
Southeast	18	25	1000	26	24	998	N/A	
Southwest	20	28	1200	N/A	27	1085	1491	
East Central	22	34	1100	N/A	33	1143	N/A	
West Central	18	23	800	25	28	1128	800	
Northeast	26	37	1000	23	36	N/A	N/A	
Northwest	N/A	32	N/A	N/A	39	N/A	N/A	
Provincial	20	30	1158	26	29	1158	1466	

* 'Other wheat' includes all wheat classes other than Hard Red Spring Wheat

** Crop yield predictions at this point in time. Please keep in mind these are regional averages, and yields can vary greatly across an area.


*** Canaryseed, mustard, lentil and chickpea in lbs/ac. All other crops in bu/ac.

Crop Districts and Rural Municipalities in Saskatchewan



Weekly Rainfall

from August 11 to August 17, 2015



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



Weekly Rainfall Summary

(in millimeters)

1 inch = 25 mm

for the period August 11 to 17, 2015


Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr	Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr	Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr	
1A	2	Mount Pleasant	NIL	182	4A	49	White Valley	3	194	7A	287	St. Andrews	22	239	
	3	Enniskillen	2	180		51	Reno	2.5	131		288	Pleasant Valley	7	213	
	33	Moose Creek	N/A	192		79	Arlington	NIL	182		290 A	Kindersley	8.3	150	
	34	Browning	1	142		109 A	Carmichael	12	108		290 B	Kindersley	8	150	
	61	Antler	N/A	174		109 B	Carmichael	N/A	49		290 C	Kindersley	6	55	
	63	Moose Mountain	NIL	146		110	Piapot	N/A	87		292	Milton	18	138	
	64	Brock	NIL	149		111	Maple Creek	N/A	98		317 A	Marriott	N/A	111	
	65	Tecumseh	NIL	121		139	Gull Lake	1	156		317 B	Marriott	15	207	
	1B	91	Maryfield	6		188	142	Enterprise	NIL		160	318	Mountain View	15	199
		122	Martin	15		241	169	Pittville	N/A		111	320 A	Oakdale	10	187
123		Silverwood	8	258	231	Happyland	8	67	320 B	Oakdale	NIL	160			
124		Kingsley	1	200	183 B	Fertile Belt	12	307	321	Prairiedale	16	229			
125 A		Chester	6	226	183 B	Fertile Belt	24	295	7B	347	Biggar	30	183		
125 B		Chester	6	183	5A	186	Abernethy	N/A	230	350 A	Mariposa	28	166		
151 A		Rocanville	4	297	211	Churchbridge	4	248	350 B	Mariposa	20	153			
151 A		Wolseley	18	295	213	Saltcoats	9	298	351	Progress	26	145			
154		Elcapo	8	156	216	Tullymet	N/A	117	352	Heart's Hill	30	178			
155 A		Wolseley	40	277	241	Calder	7	210	377	Glenside	34	189			
2A	67	Weyburn	NIL	140	243	Wallace	NIL	153	378 B	Rosemount	33	192			
	68	Brokenshell	NIL	132	244	Orkney	4	161	379	Reford	21	166			
	97	Wellington	4.5	139	245 A	Garry	15	276	381	Grass Lake	N/A	107			
2B	127 A	Francis	3	219	245 B	Garry	2	252	382	Eye Hill	25.39	63			
	127 B	Francis	NIL	140	245 C	Garry	4	261	409	Buffalo	N/A	62			
	129	Bratt's Lake	3	149	246	Ituna Bon Accord	12	243	410	Round Valley	N/A	105			
3ASE	131 A	Baildon	NIL	239	247	Kellross	10	265	8A	395	Porcupine	15	302		
	131 B	Baildon	10	230	248	Touchwood	26	232	397	Barrier Valley	30.38	279			
	156 A	Indian Head	2	192	271	Cote	NIL	211	428	Star City	41	379			
	156 B	Indian Head	4	264	273	Sliding Hills	N/A	190	456	Arborfield	33	314			
	160 A	Pense	7	157	277	Emerald	17	236	457	Connaught	39	310			
	161	Moose Jaw	2	207	5B	305	Invermay	8	239	486	Moose Range	28	310		
	162	Caron	2	200	307	Efros	11	235	487	Nipawin	N/A	308			
	191	Marquis	N/A	272	308 A	Big Quill	11	221	8B	369	St. Peter	N/A	277		
	38 A	Laurier	NIL	126	308 B	Big Quill	4	230	370 A	Humboldt	32	392			
	38 B	Laurier	NIL	125	331	Livingston	N/A	116	370 B	Humboldt	25	366			
3ASW	39 A	The Gap	NIL	160	336	Sasman	5	221	371	Bayne	23	284			
	10	Happy Valley	N/A	155	337	Lakeview	18	296	372	Grant	N/A	300			
	12	Poplar Valley	2	273	338	Lakeside	24	284	400	Three Lakes	32	330			
	40 A	Bengough	N/A	N/A	366	Kelvington	29	280	402	Fish Creek	18	242			
	40 B	Bengough	NIL	250	367	Ponass Lake	38.5	318	429	Flett's Springs	33	329			
	42	Willow Bunch	N/A	223	6A	190 A	Dufferin	3	308	459	Kinistino	72	354		
	43	Old Post	3	175	190 B	Dufferin	1	284	460	Birch Hills	36.0	260.1			
	70	Key West	N/A	25	190 C	Dufferin	2	200	9AE	488	Torch River	26	257		
	73 A	Stonehenge	NIL	310	190 D	Dufferin	2	171	520	Paddockwood	40	269			
	73 B	Stonehenge	3	267	219 A	Longlaketon	15	264	521	Lakeland	40	269			
3AN	101	Terrell	NIL	232	219 B	Longlaketon	13	297	9AW	406	Mayfield	36	157		
	102	Lake Johnston	0.8	164	220	Mckillop	11	229	435	Redberry	55	257			
	103	Sutton	NIL	345	221	Sarnia	5.29	248	436	Douglas	31	213			
	132 A	Hillsborough	4.5	390	222	Craik	2	346	463	Duck Lake	34	293			
	132 B	Hillsborough	5	277	251	Big Arm	7.5	198.25	467 A	Round Hill	30	170			
	134	Shamrock	N/A	32	252	Arm River	1.5	302	467 B	Round Hill	34	177			
	193 A	Eyebrow	3	304	279	Mount Hope	4	194	9B	438	Battle River	25	175		
	193 B	Eyebrow	2	314	282	McCraney	9	251	440	Hillsdale	35.5	172			
	17	Val Marie	5	165	312	Morris	21	246	442	Manitou Lake	32.09	158			
	75 A	Pinto Creek	NIL	312	313	Lost River	N/A	244	498 A	Parkdale	43	221			
3BS	75 B	Pinto Creek	N/A	43	339	Leroy	16.2	275	498 B	Parkdale	33	193			
	76	Auvergne	3	208	340	Wolverine	16	311	499 A	Mervin	39	189			
	77	Wise Creek	4	176	341	Viscount	N/A	285	499 B	Mervin	N/A	62			
	78	Grassy Creek	1	162	343 A	Blucher	27	303	501 A	Frenchman Butte	35	206			
	105	Glenbain	5	236	343 B	Blucher	N/A	135	501 B	Frenchman Butte	37	178			
	106	Whiska Creek	6	221	6B	223	Huron	N/A	240	501 C	Frenchman Butte	N/A	182		
	107	Lac Pelletier	2	81	284	Rudy	14	288	502	Britannia	N/A	136			
	108	Bone Creek	3	174	285	Fertile Valley	19	248	561	Loon Lake	43	241			
	138 A	Webb	6	199	286	Milden	30	240	588 A	Meadow Lake	31	245			
	138 B	Webb	5	86.5	314	Dundurn	14	245	588 B	Meadow Lake	N/A	N/A			
3BN	166	Excelsior	2	243	344	Corman Park	12	164	588 C	Meadow Lake	31	189			
	167	Sask. Landing	1.6	197	346	Perdue	20	164	622	Beaver River	20	194			
	168 A	Riverside	NIL	126	376	Eagle Creek	52	199							
	168 B	Riverside	3	132	403	Rosthern	16	217							
	226	Victory	N/A	181											
	228	Lacadena	5	138											
	257	Monet	4	158											

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Municipality No: A, B and C - more than one reporter

Cumulative Rainfall


from April 1 to August 17, 2015




NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Cropland Topsoil Moisture Conditions

August 17, 2015



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



Projection: UTM Zone 13 Datum: NAD83




Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture August 19, 2015

Hay and Pasture Topsoil Moisture Conditions

August 17, 2015



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.